

**e-STUDIO2505AC**  
**e-STUDIO3005AC**  
**e-STUDIO3505AC**  
**e-STUDIO4505AC**  
**e-STUDIO5005AC**

## Product brochure

- › Toshiba's state-of-the-art multifunction A3 colour systems, with impressive features for outstanding document output at a speed of up to 50 ppm.
- › The tablet-like user interface not only makes the systems intuitive to use, it can also be customised according to individual preferences.
- › Designed for modern office environments the e-STUDIO5005AC series is ready for mobile printing.



# CONNECT. INTEGRATE. SIMPLIFY.

## Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

## Colour commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Combine this with brilliant colours and you have even more ways to make your documents impactful.

- Advanced Toshiba e-BRIDGE controller technology for high-quality document output in colour and monochrome with a resolution of up to 1,200 dpi x 1,200 dpi
- RGB substitution allows accurate colours with office applications
- Auto-calibration ensures consistency of colour across small and large print jobs



## Simple, smart and stylish.

A new 22.9 cm (9") tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. And, it is part of the bold new look being introduced across the new e-STUDIO series.

# TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5005AC series is easily integrated, customisable and solutions ready, with its open platform architecture.

Flexible integration with third-party solutions applications, an embedded web browser brings the workflow to one location, at your fingertips.

Toshiba's exclusive e-BRIDGE Print & Capture application enables you to use your mobile device to take advantage of the broad feature set of our MFPs — whether in the office or on the go.

The universal driver provides fast and easy connectivity and works on all Toshiba e-BRIDGE models. You can choose from a variety of time-saving, function-adding plug-ins that enable productivity from the driver. For instance:

- e-BRIDGE Job Point  
Quickly split up large jobs with up to 10 Toshiba MFPs
- e-BRIDGE Job Replicator  
Use multi-part form replacement (3 prints)
- e-BRIDGE Job Separator  
Perform batch printing easily using any Microsoft Office programme
- e-BRIDGE Job Build  
Conveniently print different document types all together as a single job

## Tight Security

Along with all of the new and innovative Toshiba technologies, we keep the security of your business top of mind.

- The self-encrypting Toshiba Secure HDD provides top level security
- By adding optional security functions the systems become compliant with IEEE2600.1 and meet the EAL3 Common Criteria requirements.
- IPsec is available to securely encrypt data sent to and from the MFP

## Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements



# COMPACT, STYLISH AND FULLY CUSTOMISABLE

Inspite the compact footprint, the e-STUDIO5005AC series is packed with industry-leading technology and innovations designed to help workgroups connect, integrate and simplify.

**Dual Scan Document Feeder** is an option which holds an amazing 300 originals and boasts an impressive 240 images per minute (ipm) by scanning both sides of the page in a single pass.

**Multi Station Print Solution** allows you to send print jobs from your desktop and retrieve them at any convenient MFP by authenticating at that device, e.g. by simply swiping your badge.

**Print Around** eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

**Job Reservation** will queue up multiple copy or print jobs so users can send jobs whenever.

**Embedded Optical Character Recognition** (OCR) simplifies the creation of searchable PDFs or prepares for editable document formats such as Microsoft Word.

**Saddle/Fold Capabilities** offer saddle-stitch finishing and the option to fold without stapling.

**Large Paper Formats** from the Cassette provide the ability to also print SRA3 and upto a maximum size of 320 x 460 mm.

**Scan to and Print from USB** lets you print straight from your USB drive or scan documents to it.

**Mobile Printing** connects these systems with your mobile devices via AirPrint, Google Cloud Print or the Mopria Print Service.



Customised to display up to 18 icons per page and with a different background




Display icons as buttons to easily access functions or start workflows.



A large touch screen is your gate to document handling which has never been easier. Size and order of icons as well as the background image can be customised. Enjoy the unique experience of working with a system that understands what you want.

# CONFIGURATION



# HIGHLIGHTS

## Advanced e-BRIDGE Technology

Toshiba's next-generation e-BRIDGE architecture features an embedded web browser, 4 GB RAM and the Toshiba secure hard disk drive enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

## Embedded Apps

The optional e-BRIDGE Plus connectors for Microsoft OneDrive, Google Drive and Dropbox let you send your documents directly to or print from these cloud services via the MFP.

## Card Readers

A choice of optional card readers not only gives you fast and convenient access to your print jobs but also increases data security.

# SPECIFICATIONS

## General

Print & Copy Speed	25/30/35/45/50 ppm (A4) 15/16/18/22/25 ppm (A3)
Warm-up Time	Approx. 12 seconds from low power mode
Paper Size & Weight	Cassette 1: A5R-A3, 60-256 g/m <sup>2</sup> Cassette 2: A5R-320 x 460 mm, 60-256 g/m <sup>2</sup> Bypass: 100 x 148 mm-320 x 460 mm, 52-280 g/m <sup>2</sup> , banner paper (up to 305 x 1,200 mm, 90-163 g/m <sup>2</sup> )
Paper Capacity	2x 550 sheets (Cassettes), 1x 100 sheets (Bypass) Maximum 3,200 sheets
Inner Output Tray	400-sheet capacity
Automatic Duplex	A5R-305 x 457 mm, 60-256 g/m <sup>2</sup>
Controller Type	Toshiba e-BRIDGE
Control Panel	22.9 cm (9") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB <sup>1)</sup> , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN <sup>2)</sup> (IEEE802.11b/g/n), Bluetooth <sup>2)</sup> , Wi-Fi Direct <sup>2)</sup>
Dimensions & Weight	585 x 640 x 787 mm (W x D x H), ~ 78 kg

## Print

Resolution	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.12, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins <sup>2)</sup> , Print from USB, Hold print, Tandem printing

## Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder <sup>2)</sup> : up to 73 ipm (300 dpi) in colour and monochrome Dual Scan Document Feeder <sup>2)</sup> : up to 240 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF <sup>2)</sup> (and other formats like DOCX, XLSX) <sup>2)</sup>
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan <sup>2)</sup> , OCR scan <sup>2)</sup> , Scan to Box (e-Filing), WIA, TWAIN

## Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Colour: Approx. 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: Approx. 5.9/5.9/5.9/4.4/4.4 seconds
Zoom	25-400% (Platen), 25-200% (RADF/DSDF) <sup>2)</sup>
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax<sup>2)</sup>

Communication	Super G3, G3 - (opt. 2 <sup>nd</sup> line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

## System & Security

Device Management	e-BRIDGE Fleet Management System <sup>2)</sup> , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform <sup>2)</sup> , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader <sup>2)</sup> , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler <sup>2)</sup> , IP and MAC address filter, Port filter, Support of SSL and IPsec <sup>2)</sup> protocols, IEEE802.1x support, IEEE2600.1 compliant <sup>2)</sup> , Scan to Secure PDF

# OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER	100-sheet capacity, A5R-A3, 35-157 g/m <sup>2</sup>
DUAL SCAN DOCUMENT FEEDER	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
PAPER FEED PEDESTAL	550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 g/m <sup>2</sup>
DRAWER MODULE	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-256 g/m <sup>2</sup>
ENVELOPE DRAWER	For Paper Feed Pedestal or 2 <sup>nd</sup> cassette Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 g/m <sup>2</sup> Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-256 g/m <sup>2</sup>
LARGE CAPACITY FEEDER	2,000-sheets capacity, A4, 64-105 g/m <sup>2</sup>
INNER FINISHER	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
MULTI-STAPLE FINISHER	2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
SADDLE-STITCH FINISHER	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F), 4 holes (S)

PLATEN COVER
DESK
JOB SEPARATOR
FAX BOARD
WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)
e-BRIDGE ID-GATE
HARD DISK DRIVE 320 GB <sup>1)</sup> (FIPS 140-2 STANDARD)
ACCESSORY TRAY
PANEL TEN-KEY OPTION
WORK TRAY
DATA OVERWRITE ENABLER
IPsec ENABLER
EMBEDDED OCR ENABLER
MULTI STATION PRINT ENABLER
HARD COPY SECURITY KIT
META SCAN ENABLER
UNICODE FONT ENABLER
ACCESSIBLE ARM



<sup>1)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

<sup>2)</sup> Optional

## About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### **Toshiba Tec Germany Imaging Systems GmbH**

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

#### **Telephone**

+49 2131-1245-0

#### **Website**

[www.toshibatec.eu](http://www.toshibatec.eu)

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.